

LAMINATING & WIRO BINDING

Bringing COLOURS to life



John Sprague

Lamatex Limited

Unit 1/38 Keeling Road
Henderson
Auckland 0612

P: +64 9 835 0965

F: +64 9 835 0967

M: 021 743 602

E: john@lamatex.co.nz

www.wowprintfinish.co.nz



Lamatex

John Sprague
General Manager

Lamatex

Lamatex are your professional film laminating, liquid coating and wire binding specialists. We've been servicing the NZ print industry for over a decade and are known for our high quality finishes. Working with both offset and digitally printed material, our experienced staff can advise you on the best approach for even the most interesting jobs! We stay current with the latest products and technologies internationally, which means you always have the best range of top quality, innovative options to choose from.

- Express turnaround
- Superior pricing
- Film lamination
- UV and aqueous coatings
- Encapsulation
- Wire binding (twin loop)
- Plastic comb binding
- Spiratex

When your print material needs that wow finish, Lamatex is the way to go!

Lamatex Binding Services

Twin Loop Wire

WiroTex is functional, durable, light weight and doesn't crack or age over time. It is ideal for binding books, calendars, diaries, instruction manuals, point of sale displays and much more.

WiroTex


Ring size: 3:1 Wire Sizes: 6.4 mm – 14.3 mm
Ring size: 2:1 Wire Sizes: 15.9 mm – 25.4 mm
Colours: Black, White, Silver &
 other colours on request

Plastic Comb Binding

CombTex: Coil Sizes 6 mm – 51 mm
Colours: Black, White, Red, Blue, Green

Spiratex

Size: Coil Sizes: 6 mm - 50 mm
Colours: Black, White, Clear, Red, Navy, Blue,
 Burgundy & Forest Green



Twin Loop Wire Binding



Spiratex Colour Options

Lamatex Laminating & Coating Services

Lamination offers your product or print maximum sales appeal and maximum protection from general handling, grease, dirt, water and time.

- **Film Lamination**
Digital & Offset
Matt, Gloss, Scuff Free, Satin, Soft Touch Matt
- **Spot UV, UV Roller Coatings & Aqueous Coatings**
- **Encapsulation**
Digital & Offset
Matt, Gloss, Sand Blast Finishes



Spot UV



Technical Specifications

Product	Sheet Size	Stock Weights
Film Laminating	Min: 160mm x 225mm	Min: 130gsm
	Max: 760mm x 1020mm	Max: 550mu
Encapsulation (2 sides)	Min: 55 mm x 90mm	120gsm
	Max: 910mm x 1500mm	350gsm
Roller Coating UV	Min: 360mm x 510mm	250gsm
	Max: 787 mm x 1092mm	600gsm
Aqueous Coatings	Min: 360mm x 510mm	250gsm
	Max: 787 mm x 1092mm	600gsm
Spot Coatings (1 & 2 sides)	Min: 225mm x 320mm	170gsm
	Max: 760mm x 1050mm	650gsm



John Sprague
General Manager
E: john@lamatex.co.nz



Jeremy Sutton
Factory Manager
E: jeremy@lamatex.co.nz

Contact Us

Lamatex Limited

Unit 1/38 Keeling Road
Henderson, Auckland 0612
New Zealand

P: +64 9 835 0965

F: +64 9 835 0967

E: info@lamatex.co.nz

www.lamatex.co.nz

www.wowprintfinish.co.nz

LAMINATING
& WIRO BINDING